

West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093
 Blackbirdgardens13@gmail.com
 845-494-7950
 License #: OCM-AUCC-22-000049

Certificate of Analysis

Final



Date Released: 4/8/2024 5:09:52PM

Report #: 14010

Gasolime

Sample #: 4279, Weight: 52.00g, Unit Count:

Order #: X240403-0003

Category/Type: Plant, Flower - Cured

Date Collected: 4/3/2024 6:19:04PM


Date Received: 4/3/2024 7:49:35PM

Regulator Sample ID: 23G001

Regulator Source Package ID: 23G001

Regulator Batch ID: 23G001

Size: 2000Units, Unit Count:



Potency Analysis by HPLC

Total Cannabinoids: **32.37 % - 323.7 mg/g**
 Total THC: **24.27 % - 242.7 mg/g**
 Total CBD: **0.06038 % - 0.6038 mg/g**

Date Completed: 04/08/2024 10:42AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|------------|------------|----------|---------|--------|------------------------|
| THCa | 23978-85-0 | 0.001000 | 24.01 | 240.1 | [Bar] |
| CBGa | 25555-57-1 | 0.001000 | 4.544 | 45.44 | [Bar] |
| d9-THC | 1972-08-3 | 0.001000 | 3.218 | 32.18 | [Bar] |
| CBG | 25654-31-3 | 0.001000 | 0.3717 | 3.717 | [Bar] |
| THCV | 31262-37-0 | 0.001000 | 0.1184 | 1.184 | [Bar] |
| CBDa | 1244-58-2 | 0.001000 | 0.06885 | 0.6885 | [Bar] |
| CBC | 20675-51-8 | 0.001000 | 0.03690 | 0.3690 | [Bar] |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | [Bar] |
| d10/R9-THC | | 0.001000 | ND | ND | [Bar] |
| d10/S9-THC | | 0.001000 | ND | ND | [Bar] |
| CBD | 13956-29-1 | 0.001000 | ND | ND | [Bar] |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | [Bar] |
| CBN | 521-35-7 | 0.001000 | ND | ND | [Bar] |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N Greenland

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093

Blackbirdgardens13@gmail.com

845-494-7950

License #: OCM-AUCC-22-000049

Certificate of Analysis

Final




Sample #: 4279

Gasolime

Terpenes by HS-GC-MS

Date Completed: 04/04/2024 9:37AM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|--------|------------------------|
| Beta-myrcene | 123-35-3 | 0.1000 | 0.7655 | |
| Terpinolene | 586-62-9 | 0.1000 | 0.3345 | |
| Beta-caryophyllene | 87-44-5 | 0.1000 | 0.2944 | |
| Limonene | 5989-27-5 | 0.1000 | 0.2139 | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | |
| Alpha-humulene | 6753-98-6 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |
| Borneol | 464-43-7 | 0.1000 | ND | |
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |
| Farnesene | 502-61-4 | 0.1000 | ND | |
| Camphor | 464-49-3 | 0.1000 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093

Blackbirdgardens13@gmail.com

845-494-7950

License #: OCM-AUCC-22-000049

Certificate of Analysis

Final



Sample #: 4279

Gasolime

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|------------------|------------|---------|----|------------------------|
| 3-Carene | 13466-78-9 | 0.1000 | ND | |
| Alpha-cedrene | 469-61-4 | 0.1000 | ND | |
| Cedrol | 77-53-2 | 0.1000 | ND | |
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| Gamma-terpinene | 99-85-4 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Isopulegol | 89-79-2 | 0.1000 | ND | |
| Menthol | 15356-70-4 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| Nerolidol | | 0.1000 | ND | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 04/04/2024 12:07 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.00100 | 2.0 | ND | Pass |
| Mammalian Exreta | 0.00100 | 0.03 | ND | Pass |
| Stems | 0.00100 | 5.0 | ND | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture LWG

Pass

Analysis Date: 04/04/2024 12:07 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 12.6 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093

Blackbirdgardens13@gmail.com

845-494-7950

License #: OCM-AUCC-22-000049

Certificate of Analysis

Final



Sample #: 4279

Gasolime

Water Activity

Pass

Analysis Date: 04/04/2024 12:07 pm

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.38 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 04/05/2024 9:17 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.500 | ND | Pass |
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chloromequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093

Blackbirdgardens13@gmail.com

845-494-7950

License #: OCM-AUCC-22-000049

Certificate of Analysis

Final



Sample #: 4279

Gasolime

Pesticides by LCMSMS

Pass

Analysis Date: 04/05/2024 9:17 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etoxazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Fonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093

Blackbirdgardens13@gmail.com

845-494-7950

License #: OCM-AUCC-22-000049

Certificate of Analysis

Final



Sample #: 4279

Gasolime

Pesticides by LCMSMS

Pass

Analysis Date: 04/05/2024 9:17 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093

Blackbirdgardens13@gmail.com

845-494-7950

License #: OCM-AUCC-22-000049

Certificate of Analysis

Final

**Sample #: 4279****Gasolime****Mycotoxins by LCMSMS****Pass**

Analysis Date: 04/05/2024 9:17 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS**Pass**

Analysis Date: 04/07/2024 10:59 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 2.00 | ND | Pass |
| Arsenic | 0.00100 | 0.200 | ND | Pass |
| Cadmium | 0.00150 | 0.300 | 0.0235 | Pass |
| Chromium | 0.280 | 110 | ND | Pass |
| Copper | 0.0750 | 30.0 | 18.2 | Pass |
| Lead | 0.00250 | 0.500 | 0.0299 | Pass |
| Mercury | 0.000500 | 0.100 | ND | Pass |
| Nickel | 0.0100 | 5.00 | 0.628 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR**Pass**

Analysis Date: 04/05/2024 10:05 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



West Kill Bend INC DBA Blackbird Gardens

1100 West kill rd, Jefferson NY 12093
Blackbirdgardens13@gmail.com
845-494-7950
License #: OCM-AUCC-22-000049

Certificate of Analysis

Final



Sample #: 4279

Gasoline

Micro by Petri & qPCR

Pass

Analysis Date: 04/05/2024 10:05 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Salmonella Qualitative | 1 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 125000 | Pass |
| Total Yeast & Mold | 10 | | 141000 | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director

